

Examples of metadata (JATS, MODS, MARC21, Crossref, finc)

As an example, here is the same article in various formats.

NLM JATS

From De Gruyter sample data.

```
<?xml version="1.0" encoding="UTF-8"?>
<article>
  <front
    xmlns:xlink="http://www.w3.org/1999/xlink">
    <journal-meta>
      <journal-id journal-id-type="publisher-id">JMC</journal-id>
      <abbrev-journal-title abbrev-type="full">Journal of Mathematical Cryptol
ogy</abbrev-journal-title>
      <abbrev-journal-title abbrev-type="publisher">JMC</abbrev-journal-title>
      <issn pub-type="ppub">1862-2976</issn>
      <issn pub-type="epub">1862-2984</issn>
      <publisher>
        <publisher-name>Walter de Gruyter</publisher-name>
        <publisher-loc>
          <addr-line>Genthiner Strasse 13</addr-line>
          <addr-line>10875 Berlin</addr-line>
          <country>Germany</country>
        </publisher-loc>
      </publisher>
    </journal-meta>
    <article-meta>
      <article-id pub-id-type="publisher-id">JMC.2007.011</article-id>
      <article-id pub-id-type="doi">10.1515/JMC.2007.011</article-id>
      <title-group>
        <article-title>Probability distributions of correlation and differen
tials in block ciphers</article-title>
      </title-group>
      <contrib-group>
        <contrib contrib-type="author">
          <name name-style="western">
            <given-names>Joan</given-names>
            <x></x>
            <surname>Daemen</surname>
            <x>, </x>
          </name>
          <aff>STMicroelectronics, Belgium. Email:
            <email>Joan.Daemen@st.com</email>
          </aff>
        </contrib>
        <contrib contrib-type="author">
          <name name-style="western">
            <given-names>Vincent</given-names>
            <x></x>
            <surname>Rijmen</surname>
          </name>
          <aff>Graz University of Technology, Austria. Email:
            <email>Vincent.Rijmen@iaik.tugraz.at</email>
          </aff>
        </contrib>
      </contrib-group>
    </article-meta>
  </front>
</article>
```

```

        </contrib>
    </contrib-group>
    <pub-date pub-type="ppub">
        <day>21</day>
        <month>08</month>
        <year>2007</year>
        <string-date>2007</string-date>
    </pub-date>
    <pub-date pub-type="epub">
        <day>13</day>
        <month>08</month>
        <year>2007</year>
    </pub-date>
    <volume>1</volume>
    <issue>3</issue>
    <fpage>221</fpage>
    <lpage>242</lpage>
    <copyright-statement>Copyright 2007, Walter de Gruyter</copyright-statem
ent>

    <copyright-year>2007</copyright-year>
    <related-article related-article-type="pdf" xlink:href="jmc.2007.011.pd
f" />
    <abstract>
        <p>We study the probability distributions of difference propagation
probabilities and input-output correlations for functions and block ciphers of given
dimensions, for several of them for the first time. We show that these parameters ha
ve distributions that are well-studied in the field of probability such as the norma
l, Poisson and extreme value distributions. The results of this paper can be used to
estimate how much effort will be required to generate functions satisfying certain c
riteria. The distributions we derive for block ciphers illustrate the significant di
fference between fixed-key parameters and averaged parameters.</p>
    </abstract>
    <kwd-group>
        <title>Key Words</title>
        <kwd>Block ciphers,</kwd>
        <x></x>
        <kwd>probability distributions,</kwd>
        <x></x>
        <kwd>differential cryptanalysis,</kwd>
        <x></x>
        <kwd>linear cryptanalysis.</kwd>
    </kwd-group>
    <counts>
        <page-count count="22" />
    </counts>
</article-meta>
</front>
</article>

```

MODS

From ISTE

```
<mods
  xmlns="http://www.loc.gov/mods/v3"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xlink="http://www.w3.org/1999/xlink" version="3.6">
  <titleInfo lang="en">
    <title>Probability distributions of correlation and differentials in block c
iphers</title>
  </titleInfo>
  <titleInfo type="alternative" lang="en" contentType="CDATA">
    <title>
      <![CDATA[Probability distributions of correlation and differentials in b
lock ciphers]]>
    </title>
  </titleInfo>
  <name type="personal">
    <namePart type="given">Joan</namePart>
    <namePart type="family">Daemen</namePart>
    <affiliation>STMicroelectronics, Belgium. Email: Joan.Daemen@st.com</affilia
tion>
    <affiliation>E-mail: Joan.Daemen@st.com</affiliation>
    <role>
      <roleTerm type="text">author</roleTerm>
    </role>
  </name>
  <name type="personal">
    <namePart type="given">Vincent</namePart>
    <namePart type="family">Rijmen</namePart>
    <affiliation>Graz University of Technology, Austria. Email: Vincent.Rijmen@i
aik.tugraz.at</affiliation>
    <affiliation>E-mail: Joan.Daemen@st.com</affiliation>
    <role>
      <roleTerm type="text">author</roleTerm>
    </role>
  </name>
  <typeOfResource>text</typeOfResource>
  <genre type="research-article">research-article</genre>
  <originInfo>
    <publisher>Walter de Gruyter</publisher>
    <place>
      <placeTerm type="text">Genthiner Strasse 13 10875 Berlin Germany</placeT
erm>
    </place>
    <dateIssued encoding="w3cdtf">2007-08-21</dateIssued>
    <dateCreated encoding="w3cdtf">2007-08-13</dateCreated>
    <copyrightDate encoding="w3cdtf">2007</copyrightDate>
  </originInfo>
  <language>
    <languageTerm type="code" authority="iso639-2b">eng</languageTerm>
    <languageTerm type="code" authority="rfc3066">en</languageTerm>
  </language>
  <physicalDescription>
    <internetMediaType>text/html</internetMediaType>
  </physicalDescription>
```

```

<abstract lang="en">We study the probability distributions of difference propaga
tion probabilities and input-output correlations for functions and block ciphers of
given dimensions, for several of them for the first time. We show that these paramet
ers have distributions that are well-studied in the field of probability such as the
normal, Poisson and extreme value distributions. The results of this paper can be us
ed to estimate how much effort will be required to generate functions satisfying cer
tain criteria. The distributions we derive for block ciphers illustrate the signific
ant difference between fixed-key parameters and averaged parameters.</abstract>
<subject>
  <genre>Key Words</genre>
  <topic>Block ciphers,</topic>
  <topic>probability distributions,</topic>
  <topic>differential cryptanalysis,</topic>
  <topic>linear cryptanalysis.</topic>
</subject>
<relatedItem type="host">
  <titleInfo>
    <title>Journal of Mathematical Cryptology</title>
  </titleInfo>
  <titleInfo type="abbreviated">
    <title>Journal of Mathematical Cryptology</title>
  </titleInfo>
  <identifier type="ISSN">1862-2976</identifier>
  <identifier type="eISSN">1862-2984</identifier>
  <identifier type="JournalID">JMC</identifier>
  <part>
    <date>2007</date>
    <detail type="volume">
      <caption>vol.</caption>
      <number>1</number>
    </detail>
    <detail type="issue">
      <caption>no.</caption>
      <number>3</number>
    </detail>
    <extent unit="pages">
      <start>221</start>
      <end>242</end>
      <total>22</total>
    </extent>
  </part>
</relatedItem>
<relatedItem type="reviewOf">
  <genre>pdf</genre>
  <identifier type="pdf">jmc.2007.011.pdf</identifier>
</relatedItem>
<identifier type="istex">3DA4BA1D4E0D5C558E2CF677084098CE690C9662</identifier>
<identifier type="DOI">10.1515/JMC.2007.011</identifier>
<identifier type="ArticleID">JMC.2007.011</identifier>
<identifier type="Related-article-Href">jmc.2007.011.pdf</identifier>
<accessCondition type="use and reproduction" contentType="Copyright">Copyright 2
007, Walter de Gruyter</accessCondition>
<recordInfo>
  <recordContentSource>De Gruyter</recordContentSource>
</recordInfo>
</mods>

```

MARC21

```
<?xml version="1.0" encoding="UTF-8" ?>
<marc:collection
  xmlns:marc="http://www.loc.gov/MARC21/slim"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.loc.gov/MARC21/slim http://www.loc.gov/standards/marcxml/schema/MARC21slim.xsd">
  <marc:record>
    <marc:leader>00957 a2200145 4500</marc:leader>
    <marc:datafield tag="024" ind1="7" ind2=" ">
      <marc:subfield code="a">10.1515/jmc.2007.011</marc:subfield>
      <marc:subfield code="2">doi</marc:subfield>
    </marc:datafield>
    <marc:datafield tag="041" ind1=" " ind2=" ">
      <marc:subfield code="a">eng</marc:subfield>
    </marc:datafield>
    <marc:datafield tag="100" ind1="1" ind2=" ">
      <marc:subfield code="a">Joan Daemen</marc:subfield>
    </marc:datafield>
    <marc:datafield tag="700" ind1="1" ind2=" ">
      <marc:subfield code="a">Vincent Rijmen</marc:subfield>
    </marc:datafield>
    <marc:datafield tag="245" ind1="0" ind2="0">
      <marc:subfield code="a">Probability Distributions of Correlation and Differentials in Block Ciphers.</marc:subfield>
    </marc:datafield>
    <marc:datafield tag="260" ind1=" " ind2=" ">
      <marc:subfield code="a">Berlin</marc:subfield>
      <marc:subfield code="b">Walter de Gruyter</marc:subfield>
      <marc:subfield code="c">2005</marc:subfield>
    </marc:datafield>
    <marc:datafield tag="520" ind1=" " ind2=" ">
      <marc:subfield code="a">We study the probability distributions of difference propagation probabilities and input-output correlations for functions and block ciphers of given dimensions, for several of them for the first time. We show that these parameters have distributions that are well-studied in the field of probability such as the normal, Poisson and extreme value distributions. The results of this paper can be used to estimate how much effort will be required to generate functions satisfying certain criteria. The distributions we derive for block ciphers illustrate the significant difference between fixed-key parameters and averaged parameters.</marc:subfield>
    </marc:datafield>
    <marc:datafield tag="773" ind1=" " ind2=" ">
      <marc:subfield code="g">Vol. 1, no. 3 (Aug. 2007), p. 221-242</marc:subfield>
      <marc:subfield code="t">Journal of Mathematical Cryptology</marc:subfield>
      <marc:subfield code="x">1862-2984</marc:subfield>
    </marc:datafield>
    <marc:datafield tag="856" ind1="4" ind2=" ">
      <marc:subfield code="u">http://dx.doi.org/10.1515/jmc.2007.011</marc:subfield>
    </marc:datafield>
  </marc:record>
</marc:collection>
```

Crossref unixref

From Crossref

```
<?xml version="1.0" encoding="UTF-8"?>
<doi_records>
  <doi_record key="key" owner="10.1515" timestamp="2013-06-05 13:48:18">
    <crossref>
      <journal>
        <journal_metadata>
          <full_title>Journal of Mathematical Cryptology</full_title>
          <issn media_type="print">1862-2976</issn>
          <issn media_type="electronic">1862-2984</issn>
        </journal_metadata>
        <journal_issue>
          <publication_date>
            <month>01</month>
            <day>21</day>
            <year>2007</year>
          </publication_date>
          <journal_volume>
            <volume>1</volume>
          </journal_volume>
          <issue>3</issue>
        </journal_issue>
        <journal_article>
          <titles>
            <title>Probability distributions of correlation and differentials in block ciphers</title>
          </titles>
          <contributors>
            <person_name sequence="first" contributor_role="author">
              <given_name>Joan</given_name>
              <surname>Daemen</surname>
            </person_name>
            <person_name sequence="additional" contributor_role="author">
              <given_name>Vincent</given_name>
              <surname>Rijmen</surname>
            </person_name>
          </contributors>
          <publication_date>
            <month>01</month>
            <day>21</day>
            <year>2007</year>
          </publication_date>
          <doi_data>
            <doi>10.1515/JMC.2007.011</doi>
            <resource>http://www.degruyter.com/view/j/jmc.2007.1.issue-3/jmc.2007.011/jmc.2007.011.xml</resource>
          </doi_data>
        </journal_article>
      </journal>
    </crossref>
  </doi_record>
</doi_records>
```

finc internal format

From [finc](#)

field name	value
finc.format	ElectronicArticle
finc.mega_collection	Walter de Gruyter GmbH (CrossRef)
finc.record_id	ai-49- aHR0cDovL2R4LmRvaS5vcmcvMTAuMTUxNS9qbWMuMjAwNy4wMTE
finc.source_id	49
ris.type	EJOUR
rft.atitle	Probability distributions of correlation and differentials in block ciphers
rft.epage	0
rft.genre	article
rft.issn	1862-2976 1862-2984
rft.issue	3
rft.jtitle	Journal of Mathematical Cryptology
rft.tpages	0
rft.pub	Walter de Gruyter GmbH
rft.date	2007-01-21
x.date	2007-01-21T00:00:00Z
rft.spage	0
rft.volume	1
authors	Daemen Joan Rijmen Vincent
doi	10.1515/jmc.2007.011
languages	eng
url	http://dx.doi.org/10.1515/jmc.2007.011
version	0.9
x.type	journal-article